



DS Black i - Design Interior Films

Decorative and functional films for privacy and distinction



DS Black i interior privacy window films are ideal for hiding unattractive views or for disguising features that spoil the external appearance of glass-fronted buildings.

Optical and Solar Properties**	DS Black i
Item Number	R06930S
Pane	Single
Visible Light Transmitted	0%
Visible Light Reflected (Exterior)	6%
Ultra Violet Block	100%
Total Solar Energy Reflected	41%
Total Solar Energy Transmitted	0%
Total Solar Energy Absorbed	59%
Emissivity (Room Side)	0.72
Glare Reduction	100%
Selective InfraRed Reduction (SIRR)	99%
InfraRed Energy Rejection (IRER)	91%
Shading Coefficient	0.20
Solar Heat Gain Coeff. (G-Value)	0.16
U-Value Winter (IP)	0.98
U-Value Winter (SI)	5.57
Luminous Efficacy	0.00
Total Solar Energy Rejected (%)	84%

** Performance results are calculated on 3 mm glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards and are only intended for estimating purposes.

S93019 4/19

Avery Dennison Graphics Solutions

Norton Parkway 8080

Mentor, Ohio 44060

T: 1-800-660-5559

[windowfilm.orders@averydennison.com](mailto>windowfilm.orders@averydennison.com)



Graphics
Solutions